

COREtec®
the Original

The **NATURALS** BY COREtec
COLLECTION



INCLUDING
HERRINGBONE PATTERN



From one true original to another,
it's a family affair!



The real values in life are those created and found within families; authenticity, trust and the opportunity given to be creative and express yourself. These same values drive our company and they define our corporate culture. We saw an opportunity to create a better floor. We chased a dream and created a whole new category along the way. As the innovators of COREtec®, the Original, 100% waterproof floor, we did just that. Today, our consumers are enjoying our solutions of stylish, strong floors that sustain real family lives full of entertaining, kids and pets.

"Click, lock, enjoy. It is as simple as that!"

It all began as an entrepreneurial business in 2001, within our founder's heart and spare bedroom as our "headquarters". With the invention of COREtec®, the original, patented, 100% waterproof floor in 2013, we grew rapidly to become the leading brand of these unique and highly innovative products. We launched our European division in 2016 and that same year were acquired and embraced into the family of Shaw Floors, an industry leader and subsidiary of Berkshire Hathaway, led by the world-renowned investor, Warren Buffett.

We've come a long way from where we started to where we are now. But those family values guide us still. Led by management and embraced by every employee, dealer, and partner, we are recognized as the problem-solvers, innovators and design enthusiasts. Today we offer an incredible range of resilient, durable floors that can be purchased, installed and lived upon in one single day. Click, lock, enjoy. It is as simple as that!

The most difficult task will be choosing from our wide variety of life-like decors. But don't worry, you are sure to find one to match your style because we have a floor for every personality.

Welcome to our family, We promise to remain authentic to the core.

What's in your core?

Your COREtec® floor
always fits your style &
stands up to real life,
it's engineered for simplicity.



Always fits your style

We have a passion for providing a wide selection of authentic natural looks, so you can express what makes you, you. Persistent in product innovation – including micro-beveled edges, enhanced painted bevels & Embossed in Register technology – we create the most appealing designs & textures available.



Stands up to real life

Our floors are 100% waterproof, kid-proof & pet-proof. Try them in your kitchen or bathroom: they won't warp or buckle, even if submerged in water.

Our 100% waterproof core, resilient vinyl and protective wear layer will keep your floor looking good for the life of your home.

So naturally, all COREtec® floors come with a limited lifetime residential warranty.



Is engineered for simplicity

COREtec® is easy to install, to care for and to live with. Its secure angle tap system doesn't require any glue or nails and can be installed over existing floors without additional underlayment.

Forget about sanding, polishing, sealing or refinishing: our floors are maintenance-free.

There's a million reasons to choose COREtec®, but here's our top 6.






Our floors:

- ✓ Will not expand or contract
- ✓ Reduce noise
- ✓ Have superior scratch & stain resistance
- ✓ Do not need to acclimate
- ✓ Are suitable for underfloor heating & cooling
- ✓ Install on any surface



Cork, the natural choice

All our floors have a unique attached cork underlayment. Why? It's warmer, quieter and easily installs over existing hard surfaces, perfectly concealing imperfections in subfloors. And: it's one of the most sustainable materials out there. Cork is harvested from the cork tree and can be re-harvested every decade without damaging the tree. A natural solution that brings only benefits to your home or business:

-  added sound insulation
-  a comfortable and warmer floor
-  a natural protection against mold & mildew
-  no need for separate underlayment
-  absorbs subfloor imperfections



SOUND CORE[®]

The original 100% waterproof floor, with extra noise reducing technology.

**0.55 mm
HIGH
PERFORMANCE
WEAR LAYERS**

IN STYLE
indistinguishable
from the real thing

COMFORT
warm & quiet
underfoot

ACOUSTIC
excellent
sound reduction

SUSTAINABLE
attached cork
underlayment

*The***NATURALS**

**14
PATTERNS**
182 x 1220 mm

**8
AVAILABLE
IN HERRINGBONE**
110 x 660 mm

**8 mm
TOTAL
THICKNESS**



100% waterproof



Will not expand or contract



Pet proof



Reduces noise



Easy to install



Superior scratch resistance



Installation on any surface



No acclimatization necessary



Ideal for underfloor
heating & cooling



Electrostatic performance

ALSO AVAILABLE IN **HERRINGBONE**

4V-GROOVE



Standard: 50-LVPE-854
Herringbone: 50-LVPEH-854

ACORN



HAZE

Standard: 50-LVPE-855
Herringbone: 50-LVPEH-855



ALSO AVAILABLE IN **HERRINGBONE**

4 **V**-GROOVE

ALSO AVAILABLE IN **HERRINGBONE**

4V-GROOVE



Standard: 50-LVPE-856
Herringbone: 50-LVPEH-856

BARK



SPELT

Standard: 50-LVPE-857
Herringbone: 50-LVPEH-857





50-LVPE-853

4 V-GROOVE

TIMBER

50-LVPE-853



The **NATURALS**
COLLECTION

LEAF

50-LVPE-858



50-LVPE-858

SWAMP



50-LVPE-859



50-LVPE-859



50-LVP-802

50-LVP-802



SAND

TECHNICAL SPECIFICATIONS



8.00 mm
(EN ISO 24346)



0.55 mm
(EN ISO 24340)



STANDARD
182 x 1220 mm
HERRINGBONE
110 x 660 mm



STANDARD
12 pcs
2.66 m²
22.04 kg

HERRINGBONE
32 pcs
2.32 m²
20 kg

LEVEL OF USE

Úroveň použitia / Klasa ścieralności
Класс использования / Európai besorolás
Úroveň použití / Atsparumo klasė
33-42 (EN ISO 10874)

INFLAMMABILITY

Hořlavost / Reakcja na ogień
Класс огнестойкости / Lángállóság
Hořlavost / Degumo klasé
B_{fl}-S1 (EN 13501)

SCRATCH RESISTANCE

Odolnosť proti poškrábaniu
Odporność na zarysowania
Стойкость к царапинам / Korási csoport
Odolnost vůči poškrábání
Atsparumas braižymui
Class T (EN 660-2)

SQUARENESS AND STRAIGHTNESS

Pravouhlost a rovnost
Prostoliniowość krawędzi i prostokątność
Прямоугольность и прямизна
Derékszög és egyenesség
Pravouhlost a rovinnost / Stačiakampiškumas
< 0.15 mm (EN 24342)

CURLING WHEN EXPOSED TO HEAT

Zmena tvaru vplyvom svetla
Wypraczenie się pod wpływem ciepła
Искривление при нагреве
Hullámosodás hő hatására
Změna tvaru vlivem tepla
Rietimasis paveikus karščiui
< 0.02 mm (EN 23999)

DIMENSIONAL STABILITY

Rozmerová stabilita / Stabilność wymiarowa
Стабильность размеров / Méretstabilitás
Rozměrová stabilita / Matmenų stabilumas
< 0.02 mm (EN 23999)

ELECTROSTATIC PERFORMANCE

Elektrostatické prevedenie
Akumulacja ładunków elektrostatycznych
Электростатичность / Elektromos feltöltődés
Elektrostatické provedení / Antistatishkumas
< 2 kV (EN 1815)

SLIP RESISTANCE

Protišmykovosť / Śliskość
Стойкость к скольжению / Csúszásmentes
Protiskluznost / Slidumo klasė
DS (EN 13893)

SLIP RESTRAINT

Zabránenie šmyku / Odporność na poślizg
Ограничение скольжения / Csúszás ellenállás
Omezení skluznosti / Dangos slidumas
RIO (DIN 51130)

FORMALDEHYDE GROUP

Formaldehynová skupina / Emisja formaldehydu
Класс эмиссии формальдегида
Formaldehyd csoport / Formaldehydová skupina
Formaldehyde group
E1 (EN 717-1)

ACOUSTIC INSULATION

Akustická izolácia / Izolacja akustyczna
Звукоизоляция / Hangszigetelés
Akustická izolace / Garso slopinimas

$$\Delta L_w = 20 \text{ dB}$$
$$\Delta L_{LIN} = 10 \text{ dB}$$

(ISO 10140 & ISO 717-2)

DRUM NOISE

Kročajový zvuk v miestnosti
odczuwalnego poziomu hałasu
Показатель воздушного и ударного шума
Zajcsökkentés / Kročejový hluk v místnosti
Žingsnių garso sumažinimas
45% Reduction / redukcja / снижение
Obniżenie o / – kal / útlum
Class SL50 (EPLF)

CASTOR CHAIR RESISTANCE

Odolnosť proti kolieskam na stoličke
Odporność na krzesła obrotowe z kółkami
Стойкость к креслам с роликами
Görgös szék teszt / Odolnost vůči kolečkovým židlým
Atsparumas kėdžių ratukams
Pass / Vhodné / Sprawdzono (EN425)

LIGHT FASTNESS

Stálosť svetla / Odporność na światło
Светостойкость / Színtartósság
Stálost na světle / Atsparumas šviesos poveikiui
8 (ISO 105-B02)

HEAT INSULATION

Tepelná izolácia / Opór ciepły / Термоизоляция
Hőszigetelés / Tepelná izolace / Śiluminė varža
0.1009 (m² K/W) (EN 12667 ISO 8302)

UNDERFLOOR HEATING

Podlahové vykurovanie / Ogrzewanie podłogowe
Полы с подогревом / Padlófűtésre
Podlahové vykurování / Šildomos grindys
Suitable / Vhodný / Adekwatna
подходящее / Alkalmas / Vhodné / Tinka

RESISTANCE TO CHEMICALS

Odolnosť voči chemikáliám
Odporność na chemikalia
Химическая стойкость / Vegyszerállóság
Odolnost vůči chemikáliím
Atsparumas chemikalams
Very good / Velmi dobre / Bardzo dobra
отлично / Nagyon jó / Velmi dobrá
Labai geras
(EN 423)

Residual indentation certified

Certifikovaná odolnosť voči deformáciám
Certyfikowana odporność na szcążkowe naprężenie
Остаточное вдавливание
Certifikált ellenállás tartós benyomódás ellen
Certifikovaná odolnost proti deformacím
Liekamasis įdubimas
0.04 mm (EN ISO 24343-1:2012)



COREtec®, the natural choice



LIFETIME
WARRANTY
RESIDENTIAL



10 YEAR
WARRANTY
COMMERICAL



US PATENT
APPROVED
9,156,233



GEMICODE
ECT PLUS
self emission control



DIBt
abZ: Z-156.610-1695



EN 14041
DOP-ELV
USFLOORS int Bc
Tesseltstraat 20
8790 WAREGEM
Belgium
resilient floor covering



UL
GREENGUARD
PRODUCT CERTIFIED FOR
LOW CHEMICAL EMISSIONS
UL COM-605
UL 2818
GOLD



AgBB
passiert



EMISION CLASS 1 FOR
BUILDING MATERIAL
M1





PHTHALATE FREE
LEAD FREE
Pb



SOUND
core
BY COREtec®


Warranty (Years) The warranty covers manufacturing defects and premature wear in the event of normal use.
Záruka (rok) Záruka sa vzťahuje na výrobné chyby a predčasné opotrebenie v prípade bežného používania.
Termin gwarancji (rok) Gwarancja obejmuje wadyfabryczne i przedwczesne zużycie w przypadku normalnego użytkowania.
Гарантия (лет) Гарантия покрывает производственные дефекты и преждевременный износ при нормальном использовании.
A garancia gyártási hibákra és idő előtti elhasználódásra általános használatnál érvényes.
Záruka (rok) Záruka se vzťahuje na vady z výroby a predčasné opotřebení v případě běžného používání.
Garantija (Metai) Garantija taikoma gamybos trūkumams ir per greitam nusidėėjimui eksploatuojant normaliomis sąlygomis

The **NATURALS** BY COREtec
COLLECTION

BY



A PROUD DIVISION OF



info@usfloors.be • www.coretecfloors.eu